

**AMENDMENTS TO THE CLAIMS**

Please amend claim 13. The Claim Listing below will replace all prior versions of the claims in the application:

- 1-12. (Canceled)
13. (Currently amended) A method for activating a membrane of a cell ~~in need of activation of a membrane~~, comprising contacting the cell with a biglycan therapeutic in an amount effective to potentiate agrin-induced phosphorylation of muscle, skeletal, receptor tyrosine kinase (MuSK), wherein the cell exhibits defective clustering of acetylcholine receptor (AChR), wherein the biglycan therapeutic activates a membrane of the cell.
- 14-15. (Canceled)
16. (Original) The method of claim 13, wherein the biglycan therapeutic upregulates utrophin levels.
- 17-31. (Canceled)
32. (Previously presented) The method of claim 13, wherein the biglycan therapeutic is a polypeptide including a biglycan amino acid sequence which is at least about 90% identical to SEQ ID NO: 9.
33. (Canceled)
34. (Previously presented) The method of claim 32, wherein the biglycan amino acid sequence includes one or more Leucine Rich Repeats (LRRs) of human biglycan having SEQ ID NO: 9.
35. (Previously presented) The method of claim 32, wherein the polypeptide is derivatized with one or more glycosaminoglycan (GAG) side chains.
36. (Previously presented) The method of claim 32, wherein the biglycan amino acid sequence is at least about 90% identical to amino acids 38-365 of SEQ ID NO: 9.
37. (Previously presented) The method of claim 32, wherein the biglycan amino acid sequence is at least about 95% identical to amino acids 38-365 of SEQ ID NO: 9.

38. (Previously presented) The method of claim 32, wherein the cell is a muscle cell.
39. (Previously presented) The method of claim 13, further comprising assaying activity of muscle, skeletal, receptor tyrosine kinase (MuSK), wherein elevated activity of MuSK indicates activation of the membrane of the cell.